ED OBSERVATION UNIT: Diverticulitis PROTOCOL NYC H+H KINGS COUNTY HOSPITAL CENTER

General Observation Guidelines apply for all ED observation patients.

INCLUSION CRITERIA	EXCLUSION CRITERIA
 Confirmed diagnosis of uncomplicated Diverticulitis on CT scan If recurrent and presentation is similar to recent episode but no CT scan is ordered, discussion should be had between attendings Inability/difficulty tolerating oral intake 	 Signs of sepsis Peritonitis Complications (perforation, abscess, fistula or obstruction, hypotension, GI Bleeding) Intractable abdominal pain Immunocompromised (malignancy, immunomodulators, HIV, uncontrolled DM)

3

INTERVENTIONS

- Analgesia
- Anti-emetics
- Antipyretics if febrile
- Advance diet as tolerated
- IV hydration as indicated
- Antibiotics (consider avoiding antibiotics without a PO alternative)

DISPOSITION

Home:

- Manageable abdominal pain
- Able to tolerate diet and oral antibiotics
- No active bleeding
- GI follow-up for colonoscopy once symptoms resolve as indicated

Admission:

- Clinical deterioration
- Worsening abdominal pain with adequate analgesia
- Sepsis
- Inability to tolerate P.O. after 48 hours

Last updated 11/22/2022 Written by: Nata Cisse, MD Reviewed by Donald Doukas, MD